

Scoring Sheet — The PACT Suite

Date:	Protein:	Protein vol.:	μ l
Operator:	Buffer:	Solution vol.:	μ l
Plate ID:	Additives:	Additive vol.:	μ l

Date of observation

Location	Crystallization condition					
A1	1,A1	0.1 M SPG buffer pH 4, 25% (w/v) PEG 1500				
A2	1,A2	0.1 M SPG buffer pH 5, 25% (w/v) PEG 1500				
A3	1,A3	0.1 M SPG buffer pH 6, 25% (w/v) PEG 1500				
A4	1,A4	0.1 M SPG buffer pH 7, 25% (w/v) PEG 1500				
A5	1,A5	0.1 M SPG buffer pH 8, 25% (w/v) PEG 1500				
A6	1,A6	0.1 M SPG buffer pH 9, 25% (w/v) PEG 1500				
A7	1,B1	0.2 M Sodium chloride, 0.1 M Sodium acetate pH 5, 20% (w/v) PEG 6000				
A8	1,B2	0.2 M Ammonium chloride, 0.1 M Sodium acetate pH 5, 20% (w/v) PEG 6000				
A9	1,B3	0.2 M Lithium chloride, 0.1 M Sodium acetate pH 5, 20% (w/v) PEG 6000				
A10	1,B4	0.2 M Magnesium chloride, 0.1 M Sodium acetate pH 5, 20% (w/v) PEG 6000				
A11	1,B5	0.2 M Calcium chloride, 0.1 M Sodium acetate pH 5, 20% (w/v) PEG 6000				
A12	1,B6	0.01 M Zinc chloride, 0.1 M Sodium acetate pH 5, 20% (w/v) PEG 6000				
B1	1,C1	0.1 M MIB buffer pH 4, 25% (w/v) PEG 1500				
B2	1,C2	0.1 M MIB buffer pH 5, 25% (w/v) PEG 1500				
B3	1,C3	0.1 M MIB buffer pH 6, 25% (w/v) PEG 1500				
B4	1,C4	0.1 M MIB buffer pH 7, 25% (w/v) PEG 1500				
B5	1,C5	0.1 M MIB buffer pH 8, 25% (w/v) PEG 1500				
B6	1,C6	0.1 M MIB buffer pH 9, 25% (w/v) PEG 1500				
B7	1,D1	0.2 M Sodium chloride, 0.1 M MES pH 6, 20% (w/v) PEG 6000				
B8	1,D2	0.2 M Ammonium chloride, 0.1 M MES pH 6, 20% (w/v) PEG 6000				
B9	1,D3	0.2 M Lithium chloride, 0.1 M MES pH 6, 20% (w/v) PEG 6000				
B10	1,D4	0.2 M Magnesium chloride, 0.1 M MES pH 6, 20% (w/v) PEG 6000				
B11	1,D5	0.2 M Calcium chloride, 0.1 M MES pH 6, 20% (w/v) PEG 6000				
B12	1,D6	0.01 M Zinc chloride, 0.1 M MES pH 6, 20% (w/v) PEG 6000				
C1	2,A1	0.1 M PCB buffer pH 4, 25% (w/v) PEG 1500				
C2	2,A2	0.1 M PCB buffer pH 5, 25% (w/v) PEG 1500				
C3	2,A3	0.1 M PCB buffer pH 6, 25% (w/v) PEG 1500				
C4	2,A4	0.1 M PCB buffer pH 7, 25% (w/v) PEG 1500				
C5	2,A5	0.1 M PCB buffer pH 8, 25% (w/v) PEG 1500				
C6	2,A6	0.1 M PCB buffer pH 9, 25% (w/v) PEG 1500				
C7	2,B1	0.2 M Sodium chloride, 0.1 M HEPES pH 7, 20% (w/v) PEG 6000				
C8	2,B2	0.2 M Ammonium chloride, 0.1 M HEPES pH 7, 20% (w/v) PEG 6000				
C9	2,B3	0.2 M Lithium chloride, 0.1 M HEPES pH 7, 20% (w/v) PEG 6000				
C10	2,B4	0.2 M Magnesium chloride, 0.1 M HEPES pH 7, 20% (w/v) PEG 6000				
C11	2,B5	0.2 M Calcium chloride, 0.1 M HEPES pH 7, 20% (w/v) PEG 6000				
C12	2,B6	0.01 M Zinc chloride, 0.1 M HEPES pH 7, 20% (w/v) PEG 6000				
D1	2,C1	0.1 M MMT buffer pH 4, 25% (w/v) PEG 1500				
D2	2,C2	0.1 M MMT buffer pH 5, 25% (w/v) PEG 1500				
D3	2,C3	0.1 M MMT buffer pH 6, 25% (w/v) PEG 1500				
D4	2,C4	0.1 M MMT buffer pH 7, 25% (w/v) PEG 1500				
D5	2,C5	0.1 M MMT buffer pH 8, 25% (w/v) PEG 1500				
D6	2,C6	0.1 M MMT buffer pH 9, 25% (w/v) PEG 1500				
D7	2,D1	0.2 M Sodium chloride, 0.1 M Tris pH 8, 20% (w/v) PEG 6000				
D8	2,D2	0.2 M Ammonium chloride, 0.1 M Tris pH 8, 20% (w/v) PEG 6000				
D9	2,D3	0.2 M Lithium chloride, 0.1 M Tris pH 8, 20% (w/v) PEG 6000				
D10	2,D4	0.2 M Magnesium chloride, 0.1 M Tris pH 8, 20% (w/v) PEG 6000				
D11	2,D5	0.2 M Calcium chloride, 0.1 M Tris pH 8, 20% (w/v) PEG 6000				
D12	2,D6	0.01 M Zinc chloride, 0.1 M Tris pH 8, 20% (w/v) PEG 6000				



Location	Crystallization condition					
E1	3,A1	0.2 M Sodium fluoride, 20% (w/v) PEG 3350				
E2	3,A2	0.2 M Sodium bromide, 20% (w/v) PEG 3350				
E3	3,A3	0.2 M Sodium iodide, 20% (w/v) PEG 3350				
E4	3,A4	0.2 M Potassium thiocyanate, 20% (w/v) PEG 3350				
E5	3,A5	0.2 M Sodium nitrate, 20% (w/v) PEG 3350				
E6	3,A6	0.2 M Sodium formate, 20% (w/v) PEG 3350				
E7	3,B1	0.2 M Sodium acetate, 20% (w/v) PEG 3350				
E8	3,B2	0.2 M Sodium sulfate, 20% (w/v) PEG 3350				
E9	3,B3	0.2 M Potassium/sodium tartrate, 20% (w/v) PEG 3350				
E10	3,B4	0.2 M Sodium/potassium phosphate, 20% (w/v) PEG 3350				
E11	3,B5	0.2 M Sodium citrate, 20% (w/v) PEG 3350				
E12	3,B6	0.2 M Sodium malonate, 20% (w/v) PEG 3350				
F1	3,C1	0.2 M Sodium fluoride, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F2	3,C2	0.2 M Sodium bromide, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F3	3,C3	0.2 M Sodium iodide, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F4	3,C4	0.2 M Potassium thiocyanate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F5	3,C5	0.2 M Sodium nitrate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F6	3,C6	0.2 M Sodium formate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F7	3,D1	0.2 M Sodium acetate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F8	3,D2	0.2 M Sodium sulfate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F9	3,D3	0.2 M Potassium/sodium tartrate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F10	3,D4	0.2 M Sodium/potassium phosphate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F11	3,D5	0.2 M Sodium citrate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
F12	3,D6	0.2 M Sodium malonate, 0.1 M Bis-Tris propane pH 6.5, 20% (w/v) PEG 3350				
G1	4,A1	0.2 M Sodium fluoride, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G2	4,A2	0.2 M Sodium bromide, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G3	4,A3	0.2 M Sodium iodide, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G4	4,A4	0.2 M Potassium thiocyanate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G5	4,A5	0.2 M Sodium nitrate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G6	4,A6	0.2 M Sodium formate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G7	4,B1	0.2 M Sodium acetate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G8	4,B2	0.2 M Sodium sulfate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G9	4,B3	0.2 M Potassium/sodium tartrate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G10	4,B4	0.2 M Sodium/potassium phosphate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G11	4,B5	0.2 M Sodium citrate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
G12	4,B6	0.2 M Sodium malonate, 0.1 M Bis-Tris propane pH 7.5, 20% (w/v) PEG 3350				
H1	4,C1	0.2 M Sodium fluoride, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H2	4,C2	0.2 M Sodium bromide, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H3	4,C3	0.2 M Sodium iodide, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H4	4,C4	0.2 M Potassium thiocyanate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H5	4,C5	0.2 M Sodium nitrate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H6	4,C6	0.2 M Sodium formate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H7	4,D1	0.2 M Sodium acetate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H8	4,D2	0.2 M Sodium sulfate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H9	4,D3	0.2 M Potassium/sodium tartrate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H10	4,D4	0.2 M Sodium/potassium phosphate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H11	4,D5	0.2 M Sodium citrate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				
H12	4,D6	0.2 M Sodium malonate, 0.1 M Bis-Tris propane pH 8.5, 20% (w/v) PEG 3350				

Order EasyXtal and NeXtal products online at www.qiagen.com/crystallization

Trademarks: QIAGEN®, EasyXtal®, NeXtal® (QIAGEN Group) 09/2008 © 2006–2008 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Canada ■ 800-572-9613

China ■ 0086 21 3865 3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800 787980

Japan ■ 03-5547-0811

Korea (South) ■ 1544 7145

Luxembourg ■ 8002 2076

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 65-67775366

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157

